

PRODUCT

AKG 317 PHARMACY REFRIGERATOR

AKG 317 is developed for reliable storage of medicine in pharmacies, laboratories and hospitals. The pharmacy refrigerator is equipped with external digital temperature display and fully electronic temperature control that ensures a correct set temperature between +2°C to +8°C. Optional extractible drawers inside the cabinet, which are adjustable for height and removable, include partitions for rational storage of medicine.

SPECIFICATIONS

Temperature Range, °C	+2 to +8°C
Uniformity in performance, °C	2,3
Refrigerant	R600a
Number of probes	2
Defrost	Yes- automatic
Internal air distribution	Mono Air Stream
Number of compressors	1
Safety thermostat	No
Noise, dBA	55
Energy consumption, kWh/24h	1,6
Voltage, V	220- 240
Frequency, Hz	50
Plug type	Schuko
Gross volume, litres (cu. ft.)	306 (10,8)
Net volume, litres (cu. ft.)	281 (9,9)
Inner Height, mm (inches)	1294 (50,95)
Inner Width, mm (inches)	517 (20,35)
Inner Depth, mm (inches)	420 (16,53)



FEATURES

Lock	Yes
LED light	Yes
Porthole	No
Contact for remote alarm	Yes
Castors	Yes- 2 rear
Doors	Glass
Door closure	Yes
Door reversibility	Yes

Products are subject to change due to enhancements and continuous development. Vestfrost Solutions reserve the right to alter any information, without further notice.



BIOMEDICAL SOLUTIONS

VESTFROST
SOLUTIONS

A/S Vestfrost
Falkevej 12
DK-6705 Esbjerg Ø
www.vestfrostolutions.com

PRODUCT

AKG 317 PHARMACY REFRIGERATOR

STORAGE

Drawers	Optional incl dividers
Drawer material	ABS
Number of drawers (standard)	No standard
Number of drawers (max)	7 + shelf in bottom
Max loading drawers, kg (lbs)	20
Shelves	Standard
Shelves material	Polished steel coated with plastic powder
Number of shelves incl bottom shelf (Standard)	5
Number of shelves incl bottom shelf (max)	8
Max loading shelves, kg (lbs)	20

CONTROLLER

Type	XR50CX
USB connection	No
Data connection	No
Languages	3 digits
Logs of data/alarm	No
High/Low temperature alarm	Yes
Open door alarm	Yes
Power failure alarm	No
Probe failure alarm	Yes
Temperature graph	No

OPTIONALS

Chart recorder	No
Drawers	Optional
Dividers for drawers	Standard in drawers

DIMENSIONS AND CONSTRUCTION

Height, mm (inches)	1540 (60,6)
Width, mm (inches)	596 (23,4)
Depth, mm (inches)	602 (23,7)
Depth incl. doorhandle, mm (inches)	655 (25,8)
Gross weight, kg (lbs)	72 (158,7)
Net weight, kg (lbs)	69,2 (152,3)
Material inner cabinet	White PVC
Material outer cabinet	Prepainted galvanized steel
Insulation thickness	35 mm
Insulation type	Polyurethane with cyclopentane
Type of packaging	Plastic with EPS

Products are subject to change due to enhancements and continuous development. Vestfrost Solutions reserve the right to alter any information, without further notice.



BIOMEDICAL SOLUTIONS

VESTFROST
SOLUTIONS

A/S Vestfrost
Falkevej 12
DK-6705 Esbjerg Ø
www.vestfrostolutions.com

DETAILS

AKG 317 PHARMACY REFRIGERATOR

- Designed and manufactured by A/S Vestfrost in Denmark
- Unit optimized for optimal footprint

ENVIRONMENT


- Eco-friendly R600a refrigerant
- Efficient cyclopentane insulation
- Low energy consumption

FEATURES

- Digital XR50CX controller with display
- Reversable glass door with aluminium handle
- Top LED light for maximum visibility
- Integrated lock to prevent unauthorized access
- Open door, high/low and probe failure alarm

QUALITY

- User-friendly and maintenance-free
- Single compressor system
- Galvanized, pre-painted steel cabinet



Products are subject to change due to enhancements and continuous development. Vestfrost Solutions reserve the right to alter any information, without further notice.



BIOMEDICAL SOLUTIONS

VESTFROST
SOLUTIONS

A/S Vestfrost
Falkevej 12
DK-6705 Esbjerg Ø
www.vestfrostsolutions.com